
# The Diamond Safe



**The Diamond Safe** 

THE DIAMOND SAFE is the most powerful in the unbeaten John Tann range of heavy safes.

Not many of these incomparable units are built in the course of a year. They are not in regular production — each safe is individually created with supreme patience and skill. No refinement in security engineering technology is omitted, from massive shell construction of specially cast alloys to sensitive devices actuated automatically by assault.





Price is not mentioned in the designers' terms of reference, for this safe is designed to protect the priceless.

Of necessity the price is high but the last word in security value is provided. The safe resists every form of criminal attack ever employed, and some not yet used.

Size	External dimensions			Internal dimensions			Approx. Weight
	high	wide	deep	nigh	wide	deup	
58/4620	58"	32	30 क	46**	20 '	16	Ş tons
	1474 mm	613 mm	775 min	1 169 mm	508 min	407 mm	3046 Ka
B277024	82"	36	34 %	70%	24"	20	ວ ເວກຮຸ
	2063 mm	915 mm	876 mm	1778 mm	609/mm	508 mm	5080 kg

#### Body.

For a body thickness states rup, portent and sure \$5%. A composite metal mondries case more shall of not less than 3 thickness overallysish asyd in specially optimistical and start might reinforced anniperation in atematical and making the following and inner state shalls are both 1. There

#### Dooi

Total door thickness is 6% with a minimum of 5% of solid metal and ceramic protection over the entitle door area.

#### Boltwork

The door is secured by 1%—dia—bright driven sized sharing bolts at the front, top and bolton, which engage technic rebairs which are integral parts of the invertibility. The right tops of the door is secured by fixed belts which engage beltand a shadar tebate.

Special highly sensitive ocerus included in the hollwark medialism give continual protection should the last sine forcibly distincted, by explosive or other mains.

### Locks

Fire portyrork is sociated by a Taractupt followith conject supplied complete with stainless atom adjunctionary with 100,000 100 property of descriptional following and the property of descriptional following at the property of the description of the property of the property of the description of the property of the p

Attemative locking arrapgements are available firms lock can be listed it required

# Furniture, Fittings and Finish

Stamless side fault handle, hearlie backets, and political panel, together with inarching black linish of the Celmbination Lock dail, and keylock escurched as contrast pleasantly with the two-time gray safe figure.

Internal sige paners provide slotted adjustment for Shelves and for drawers or cupbeards.

## Thermic Lanca Deterrent

Special devices at order attack by this railing above about are incorporated

