
COMP +

*(76.6) 4 K 4 a



The best safe in the world



THE BEST SAFE IN THE WORLD CHUBB Sovereign

or over 160 years Chubb have been safeguarding the treasures of the World. 160 years experience, insight and research into defeating the criminal.

Todays criminals have at their disposal a formidable armoury of tools and attack-methods. Thermal cutting, explosives, high-speed drills, impact tools and forcing techniques are all readily available as by-products of modern industry.

Designed to give superb all-round protection against all forms of attack, the Sovereign incorporates advanced materials and safemaking techniques unique to Chubb.

Research, Development and Testing

Chubb Research Ltd. – an independent company within the Chubb Group – operate what are probably the finest in-house research facilities of any safe manufacturer in the World.

Very considerable resources are devoted to a continuing programme of development and testing aimed at producing better barrier materials and better methods of safe construction.

Sovereign Passes the Test
In addition to an exhaustive
programme of Chubb
testing the Sovereign has
been tested, quite
independently, in France by
Laboratoire du Feu in
order that the safe could be
rated for insurance
purposes by Assemblee
Pleniere des Societes
d'Assurances. This was a

carefully planned, professional attack by skilled technicians, working under ideal conditions, and knowing the exact construction of the safe... and it failed to defeat the Sovereign door or body.

During this test the Chubb Sovereign demonstrated exceptional resistance to prolonged combination attacks during which the testers had at their disposal:

- heavy duty oxyacetylene torches, and unlimited gas supplies
- ferrous rods with which to intensify the effects of oxyacetylene attack
- a power drill
- a pneumatic pick
- hammers, chisels and other forcing tools.


Having successfully resisted the planned series of official test attacks, the safe was subjected to a set of complementary tests featuring a thermic lance. Again the attacks were determined and prolonged.



An Exceptional Success
As a result of these tests the Chubb
wavengn was awarded a quite
exceptional maximum insurance rating by
Assemblee Pleniere des Societes
d'Assurances of 1,200,000 francs
(equivalent to approximately £140,000
Sterling). a rating higher than any
previously awarded.

Developments in industrial cutting equipment mean that todays burglars have at their disposal a formidable armoury of tools and attack methods.


The Chubb Sovereign provides very high security protection against all known forms of safe attacks including the following: • Explosives • Power drills, including diamond drills • Pneumatic and electric hammers • Oxy-acetylene • Oxy-ace • Arc-air slicer • Thermic lance,



CONSTRUCTION

The body and door are constructed from inner and outer steel plates enclosing a seamless monolithic casting of Chubb Anti-Arc barrier material. This composite Anti-Arc material developed by Chubb consists of nuggets of very hard abrasion resistant material held in a matrix which itself has very high resistance to thermal attacks. This composite material is securely anchored to an inner steel plate.

An additional layer of carbon based material provides further resistance to attack with thermal tools. This multilayer construction is both used in the body and door, to provide all round balanced protection.



The door of the sale - also formed of a one-piece casting of anti-arc material, is secured into the four sides of the sale body by means of Chubb Isolator Beltwerk.

The sovereign safe provides protection against attacks with all these cutting tooks

BOLTWORK

The door is secured by 38 mm diameter moving bolts which extend from all four sides of the door. When the safe is locked, Chubb's design of Isolator completely disconnects the bolt throwing handle from the bolts. The Sovereign is fitted with glass relockers to protect the locks from explosives attack.

Access to the back of the lock case is controlled by two Chubb locks.



LOCKS

The Sovereign is fitted as standard with two high security Chubb locks. There is a choice of four wheel combination locks, each capable of being set to 100,000,000 different codes, or a keylock of equivalent security.

An optional timelock can also be fitted.

FITTINGS

Internal racking accepts the following optional littings

- Heavy duty shelves
 Lockable cupboards
- Lockable drawers

(See details overleaf).

FINISH

The outside of the door is finished in stainless steel, with a matching aluminium pull handle. The safe is painted light grey on the inside and charcoal grey on the outside, both in satin finish

BASE FIXING

The Sovereign safe can be prepared for secure base fixing.


PROOF OF PERFORMANCE


Since its launch in 1979, hundreds of Sovereign sales have been sold, yet at the time of writing, Chubb know of no successful attacks by burglars on any Sovereign sale.

The Sovereign safe provides such a high level of protection that it is above the standard cash rating bands of many UK insurance companies, and insurance cover can be negotiated for very large cash holdings in a Sovereign safe.



DIMENSIONS





The Chubb Sovereign is made in Britain

SIZE	5520		6428/21	
Number of bolts around door	.14		16	
External height	1626пт	(64")	1855mm	(73")
External width	750mm:	(29.5")	953mm	(37 5")
External depth	775mm	(30 5")	826mm	(32.5")
External projection of handle	64ron:	(2.5*)	64mm	(2.5")
Total external depth with door open at 90°	1450:nm	(57°)	1700mm	(67")
Internal height	1397mm	(587)	1625mm	(64")
Internal width	\$08mm	(201)	711mm	(28")
Internal depth	482mm	(19")	533mm	(21")
Internal volume	343 litres	(12 1fis)	616 litres	(21.7h³)
Nett weight	2515kg	(49.5cw1)	3385kg	(66.5cwt)
CHOICE OF FITTINGS				
Shelves	available		available	
Lockable full width cupboards (height)	305mm	(127)	or 305mm	(12") (23")
Pull width drawer (height)	165mm	(8.5")	notavailable	
Pair of drawers side by side (height)	165mm	(6.5")	16Smm	(6.5")
EXPURT PACKAGING				
Case kaight	1850mm	(73")	1160mm	(45.7")
Case width	920mm	(36.2")	2010mm	(79")
Clase depth	1000mm	(39.4")	1120mm	(44")
Cross weight	2655kg	(5850lb)	350 ikg	(7940lb)

Chubb Safe Equipment Company

A member of the Racal Electronics Group RACAL

Export Sales and Head Office

P O Box 61 Wednesfield Road Wolverhampton West Midlands WV10 0EW Telephone Wolverhampton (0902) 55111 Telex: 334504 Fax 50949

UK SALES OFFICES Southern Region Sunbury on Thames (0932) 765838 North and Midlands Wolverhampton (0902) 870004 Scotland Edinburgh (031) 453 6454





Jaime Torrejon Director, Sales & Marketing Office: 800-654-5213

Cell: 201-618-9424 Email: jaime@lackasafe.com Web: www.lackasafe.com



BY APPO NYAPEN*

TO RESEMBLESTY THE QUEEN

PATENT LOCK AND SAFE BURENS

CHUMB & SOM STOCK AND SAFE COLLYD

Disce & Sear Levil of Sale Company Limited
Name Work Levil Company Limited
Name Work Limited Search Management (W) (A)

The control of the property of the control of the c